



References for Probiotic Bulletin, Issue 22

Pages 1-2 HCP Insight: Constipation

1. Shafe ACE *et al* (2011) The LUCK study: Laxative Usage in patients with GP-diagnosed Constipation in the UK, within the general population and in pregnancy. An epidemiological study using the General Practice Research Database (GPRD). *Ther Adv Gastroenterol* **4**(6):343-363.
2. National Institute for Health and Clinical Excellence (NICE) clinical guideline 99: Constipation in children and young people. Costing Report. Implementing NICE guidance. May 2010. <http://www.nice.org.uk/CG99>
3. Fortea J & Prior M (2013) Irritable bowel syndrome with constipation: A European-focused systematic literature review of disease burden. *J Med Econ* **16**(3):329-341.
4. Iovino P *et al* (2013) New onset of constipation during long-term physical inactivity: A proof-of-concept study on the immobility-induced bowel changes. *PLoS ONE* **8**(8):e72608.
5. Alame AM & Bahna H (2012) Evaluation of constipation. *Clin Colon Rectal Surg* **25**:5-11.
6. World Gastroenterology Organisation, 2010. Constipation: a global perspective, November 2010. http://www.worldgastroenterology.org/assets/export/userfiles/05_constipation.pdf
7. Root H (1856) *The People's Medical Lighthouse*. New York: Ranney
8. Whorton J (2000) Civilization and the colon. *Western Journal of Medicine* **173**:424-427.
9. Goodhart JF (1902) Round about constipation *Lancet* **ii**:124
10. <http://www.romecriteria.org/criteria/>
11. Lacy BE *et al* (2012) Chronic constipation: new diagnostic and treatment approaches. *Ther Adv Gastroenterol* **5**(4):233-247.
12. Belsey J *et al* (2010) Systematic review: impact of constipation on quality of life in adults and children. *Aliment Pharmacol Ther* **31**:938-949.
13. <http://cks.nice.org.uk/constipation#!topicsummary>
14. Riordan SM *et al* (1997) Small intestinal bowel overgrowth in the symptomatic elderly. *Am J Gastroenterol* **92**:47-51.
15. Quigley MM (2011) Microflora modulation of motility. *J Neurogastroenterol Motil* **17**(2):140-147.
16. Simrén M *et al* (2012) Intestinal microbiota in functional bowel disorders: a Rome foundation report. *Gut* **62**(1):159-7.
17. Parkes GG *et al* (2012) Distinct microbial populations exist in the mucosa-associated microbiota of sub-groups of irritable bowel syndrome. *Neurogastroenterol Motil* **24**(1):31-39.
18. Jeffery IB *et al* (2012) An irritable bowel syndrome subtype defined by species-specific alterations in faecal microbiota. *Gut* **61**(7):997-1006.
19. Funari M *et al* (2012) Reassessment of the role of methane production between irritable bowel syndrome and functional constipation. *J Gastrointest Liver Dis* **21**(2):157-163.
20. Chassard C *et al* (2012) Functional dysbiosis within the gut microbiota of patients with constipated-irritable bowel syndrome. *Aliment Pharmacol Ther* **35**(7):828-838.
21. Dima G *et al* (2012) Predominance of constipation in subjects with hydrogen-consuming intestinal flora. *Acta Gastroenterol Latinoam* **42**(3):182-185.
22. Barbara G *et al* (2005) Interactions between commensal bacteria and gut sensorimotor function in health and disease. *Am J Gastroenterol* **100**:2560-2568.

23. Quigley EMM (2011) The enteric microbiota in the pathogenesis and management of constipation. *Best Practice Res Clin Gastroenterol* **25**:119-126.
24. Miller LE & Ouwehand AC (2013) Probiotic supplementation decreases intestinal transit time: Meta-analysis of randomized controlled trials. *World J Gastroenterol* **19**(29):4718-4725.
25. Chmielewska A & Szajewska H (2010) Systematic review of randomised controlled trials: Probiotics for functional constipation. *World J Gastroenterol* **16**(1):69-75.
26. Koebnick C *et al* (2003) Probiotic beverage containing *Lactobacillus casei* Shirota improves gastrointestinal symptoms in patients with chronic constipation. *Can J Gastroenterol* **17**:655-9.
27. Krammer H-J *et al* (2011) Effect of *Lactobacillus casei* Shirota on colonic transit time in patients with chronic constipation. *Coloproctol* **33**:109-113
28. Sakai T *et al* (2011) Fermented milk containing *Lactobacillus casei* strain Shirota reduces incidence of hard or lumpy stools in healthy populations. *Int J Food Sci Nutr* **62**(4):423-430.
29. Matsumoto K *et al* (2006) The effect of a probiotic milk drink containing *Lactobacillus casei* strain Shirota on the defecation frequency and the intestinal microflora of sub-optimal health state volunteers: a randomized placebo-controlled cross-over study. *Biosci Microflora* **25**:39-48
30. Cassani E *et al* (2011) Use of probiotics for the treatment of constipation in Parkinson's disease patients. *Minerva Gastroenterol Diet* **57**:117-121.
31. Tilley L *et al* (2014) A probiotic fermented milk drink containing *Lactobacillus casei* strain Shirota improves stool consistency of subjects with hard stools *Int J Probiotics Prebiotics* **9**(1).

Page 4 HCP Insight: Prevention of *Clostridium difficile* infection relapse using *Lactobacillus casei* Shirota

- Lee LYW, Golmohamad R and MacFaul G *et al* (2013) Prevention of relapse following *Clostridium difficile* infection using probiotic *Lactobacillus casei* Shirota. *Int J Probiotics Prebiotics* **8**:145-148
- Public Health England, 2014
<http://www.hpa.org.uk/Topics/InfectiousDiseases/InfectionsAZ/ClostridiumDifficile/>
- Barbut F, Richard A, Hamadi K *et al* (2000) Epidemiology of recurrences or reinfections of *Clostridium difficile*-associated diarrhea. *J Clin Microbiol* **38**:2386-2388.
- Ghantaji SS, Sail K, Lairson DR *et al* (2010) Economic healthcare costs of *Clostridium difficile* infection: a systematic review. *J Hosp Infect* **274**:309-318

Page 7 Research round-up

- Kamal I, Wilson AM, Sankaran P *et al* (2013) Oral Delivery of a Probiotic Induced Changes at the Nasal Mucosa of Seasonal Allergic Rhinitis Subjects after Local Allergen Challenge: A Randomised Clinical Trial. *PLoS ONE* **8**(11): e78650
- Sutula J, Coulthwaite LA, Thomas LV and Verran J (2013) The effect of a commercial probiotic drink containing *Lactobacillus casei* strain Shirota on oral health in healthy dentate people. *Microbial Ecology in Health & Disease* **24**:21003

- Hailesalassie Y, Johansson MA, Zimmer CL *et al* (2013). Lactobacilli Regulate Staphylococcus aureus 161:2-Induced Pro-Inflammatory T-Cell Responses *In Vitro*. *PLoS ONE* **8**(1):e77893
- Shida K & Nomoto K (2013) Probiotics as efficient immunopotentiators: Translational role in cancer prevention. *Indian Journal of Medical Research* **138**(5): 808-814
- Makino H, Kushiro A, Ishikawa E *et al* (2013) Mother-to-Infant Transmission of Intestinal Bifidobacterial Strains Has an Impact on the Early Development of Vaginally Delivered Infant's Microbiota. *PLoS ONE* **8**(11):e78331.
- Smug LN, Salminen S, Sanders ME *et al* (2014) Yoghurt and probiotic bacteria in dietary guidelines of the member states of the European Union. *Beneficial Microbes* **5**(1):61-6
- Nick Lane (2009). *Life Ascending: The Ten Great Inventions of Evolution*. London: Profile Books Ltd. 344.

For further information visit our website: www.yakult.co.uk/hcp
Contact the UK science team on science@yakult.co.uk or 0208 8427 600.
Contact the Irish science team on science@yakult.ie or 01 804 7695